

Post operative instructions: COMPLEX EXCISION (Face)

Today you had a skin lesion removed through Excision and Flap/Graft

You have been given a one-off dose of antibiotic pre operatively. You do not need further antibiotics.

While most of these will heal quickly and without concern a few tips to help the process:

### 1. General care

- The dressing needs to remain dry for 4 days.
- Remove the dressing in the shower at day 4.
- Dry and apply Vaseline twice a day until removal of sutures.
- Don't apply Vaseline on morning of suture removal.

#### 2. Pain

- Most skin excision, if well covered with a dressing cause little or no pain.
- On the day of surgery take 2 Panadols when you get home and a further 2 before bed.
- Nurofen and Voltaren can cause bleeding so in the first instance try Panadol.

#### 3. What to watch out for

- Infection <1% of biopsies get infected but will present as:
  - o Pain getting worse after 48 hours.
  - o Smell through the dressing.
  - Redness and warmth at the site.
  - o Fevers or feeling unwell.
  - Please contact the clinic and we will arrange urgent review.

## Bleeding

- o Bleeding contained within the dressing in the first 24 hours is common.
- o If bleeding is occurring through the dressing apply firm pressure for 20 mins.
- If bleeding continues after this period, please contact the clinic in hours or attend Emergency after hours.
- It is common to have "black eyes" after surgery on the forehead and around the eyes.
- If no active bleeding, you can restart your blood thinner the day 2 post op.

### 4. Activity

- Please refrain from all activity that places stress on the wound for 2 weeks.
- No swimming for 2 weeks.

# 5. Scar Management

Apply STRATAMED silicone gel twice daily for 8-10 weeks.